

GENERAL SECURITY NOTES

1. SECURITY CONTRACTOR SHALL INSTALL ANY PASS-THRU'S REQUIRED FOR ROUTING CABLES AROUND THE BUILDING IN ADDITION TO THOSE SHOWN ON THE DRAWINGS. PASS THRU'S SHOWN ARE BY THE ELECTRICAL CONTRACTOR. FIRESTOP ALL PASS-THRU'S TO MEET

KEYED SECURITY NOTES

- ① THE CARD READER SHALL BE INSTALLED INTO THE CAB OF THE ELEVATOR. SECURITY CONTRACTOR SHALL INSTALL AND CONNECT TO THE ELEVATOR TRAVELING CABLE CONNECT AT ELEVATOR CONTROLS TO PANEL.
- ② THIS DOOR IS TO INCLUDE A DELAYED EGRESS SYSTEM THAT IS TO UNLOCK THE DOORS AFTER HOLDING THE DOOR RELEASE FOR A PERIOD OF TIME. AFTER THAT AN DOOR HELD OPEN ALARM SHALL BE SENT.
- ③ THE BUTTON SHALL BE BELOW THE DESK AND WHEN DEPRESSIED SHALL OPEN THE DOOR. DOOR SHALL REMAIN UNLOCKED FOR AN OWNED CHOSEN LENGTH OF TIME. ANYWHERE BETWEEN 2 AND 15 SECONDS.
- ④ THE INTERCOM SHALL SIT ON THE DESK. CONNECT IT TO THE INTERCOM CALLING STATION AT DOOR 2090A. TRAVELING CABLE THROUGH THE DATA DUCT.
- ⑤ INSTALL AN IP CAMERA IN THE CAB OF THE ELEVATOR. CONNECT TO THE TRAVELING CABLE IN THE ELEVATOR TRAVELING CABLE. TRAVELING CABLE CAT-6 BY THE ELEVATOR INSTALLER.
- ⑥ INSTALL MICROPHONE INTO CEILING NEAR DOOR. WIRE FROM MIC TO CAMERA MIC INPUT. FORMS IS TYPICAL FOR CAMERA SHOWN.
- ⑦ INSTALL CABLE FOR THIS DEVICE TO THE JUVENILE HOME PANEL IN COMM ROOM A.

DATE _____

MARCH 3, 2014

PROJECT TITLE

**GULL ROAD
COURT FACILITY**

**KALAMAZOO
COUNTY**

Kalamazoo, MI

ISSUED FOR

DATE _____

ISSUED FOR

DATE _____

SHEET TITLE

**SECURITY
LOWER LEVEL**

SHEET NUMBER

TC401

13-115.00

